GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

Establishment – Water Resources Department – A.P.E.S – Full additional charge arrangement to the post of Superintending Engineer, Srisailam Dam East, NSRSP, Kurnool District - Orders - Issued

---

WATER RESOURCES (SERVICES.II) DEPARTMENT

G.O.RT.No. 419 Dated: 11-09-2019

Read:

From the Engineer-in-Chief (Admn), Water Resources Department, A.P.,Vijayawada, Lr.No.Rc/ENC/B3/E-2795353/2019-2 Dt. 20.08.2019.

&&&&

ORDER:

In the circumstances reported by the Engineer-in-Chief (Admn), Water Resources Department, A.P. Vijayawada through the reference read above, and after careful examination of the matter, Government hereby kept Sri S.Chandra Sekhara Rao, Superintending Engineer, Neeru-Prgathi, East Godavari District, Dowlaiswaram in full additional charge to the post of Superintending Engineer, Srisailam Dam East, NSRSP, Kurnool District with immediate effect.

2. The Engineer-in-Chief (Admn), Water Resources Department, A.P. Vijayawada shall take further necessary action in the matter.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

ADITYA NATH DAS

SPECIAL CHIEF SECRETARY TO GOVERNMENT

To

The Engineer-in-Chief (Admn), Water Resources Department, A.P. Vijayawada

Individual through the Engineer-in-Chief (Admn), Water Resources Department, A.P. Vijayawada

The concerned through the Engineer-in-Chief (Admn), Water Resources Department, A.P. Vijayawada

SF/SC

// FORWARDED:: BY ORDER//

SECTION OFFICER